

Page 1 of 5 **AB-007**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards

SDS Revision: 1.1

SDS Revision Date: 3/19/2024

	1. PRODUCT & COMPANY IDENTIFICATION				
1.1	Product Name:	ACTIVE® WASHING MACHINE DESCALER			
1.2	Chemical Name:	NA			
1.3	Synonyms:	NA			
1.4	Trade Names:	Active [®] Washing Machine Descaler			
1.5	Product Use:	Washing machine descaler			
1.6	Distributor's Name:	Active B, LLC			
1.7	Distributor's Address:	3147 California Street, NE, Suite 100-A, Minneapolis, MN 55418 USA			
1.8	Emergency Phone:	INFOTRAC +1 (800) 535-5053 / +1 (352-323-3500)			
1.9	Business Phone / Fax:	Tel: +1 (888) 997-2131)			

2. HAZARDS IDENTIFICATION

2.1	Hazard Identification:	Prepared in accordance with UN Globally Harmonized standards. Intended to comply with OSHA 29 Cl Canadian WHMIS and Australian Work Health and Safety standards. WARNING! CAUSES SKIN IRRITATION. CAUSES SEROUS EYE IRRITATION. HARMFUL TO A WITH LONG LASTING EFFECTS. Classification: Skin Irrit. 2, Eye Irrit. 2A; Aq. Chronic 3	
2.2	Label Elements:	Hazard Statements (H): H315 – Causes skin irritation. H319 – Causes serious eye irritation. H412 – Harmful to aquatic life with long lasting effects. Precautionary Statements (P): P264+P265 – Wash thoroughly after handling. Do not touch eyes. P280 – Wear eye/face protection. P302+P352 – IF ON SKIN: wash with plenty of water and soap. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 – Specific treatment: see section 4 of the Safety Data Sheet. P332+P317 – If skin irritation occurs: Get medical help. P317 –Get medical help. P362+P364 – Take off contaminated clothing and wash it before reuse. P501 – Dispose of contents/container to a licensed treatment, storage, or disposal facility (TSDF).	
2.3	Other Warnings:	KEEP OUT OF REACH OF CHILDREN.	

3. COMPOSITION & INGREDIENT INFORMATION

						EXPOSURE LIMITS IN AIR (mg/m ³)								
						AC	GIH		NOHSC	:		OSHA		
						p	om		ppm			ppm		
СНЕМ	IICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
PROF	PRIETARY INGREDIENTS	NA	NA	NA	15-50	NA	NA	NF	NF	NF	NA	NA	NA	
SODI	UM CARBONATE	497-19-8	LZ5235000	208-407-7	10-30	NA	NA	NF	NF	NF	NA	NA	NA	
		Eye Irrit. 2A; H										-		
sopi	UM SULFATE	7757-82-6	NA	231-820-9	10-30	NA	NA	NF	NF	NF	NA	NA	NA	
CODI		Aq. Chronic 3;		- 1	-			1	1	1				
soni	UM PERCARBONATE	15630-89-4	NA	239-707-6	7-13	NA	NA	NF	NF	NF	NA	NA	NA	
		Acute Tox. 4 (d	oral), Eye Dam. 1; I	H272, H302, H3	18									
2001	UM LAURYL SULFATE	151-21-3	WT1050000	205-788-1	1-5	NA	NA	NF	NF	NF	NA	NA	NA	
50DI	UM LAURTE SULFATE	Acute Tox 4 (oral), Skin Irrit. 2, Eye Dam. 1, Aq. Chronic 3; H302, H315, H318, H412												
		6834-92-0	VV9275000	229-912-9	≤2	NA	NA	NF	NF	NF	NA	NA	NA	
SODI	UM SILICATE	Acute Tox. 4 (oral), Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H302, H314, H335												
7501	ITC.	1318-02-1	NA	930-915-9	≤1	NA	NA	NF	NF	NF	NA	NA	NA	
ZEOL	.IIE	Acute Tox. 4 (d	oral), Skin Corr. 1B	, Eye Dam. 1, S	TOT SE 3; I	H302, H	1314, H	335						
			4. F		D MEA	SUR	ES							
4.1	First Aid:	Ingestion:	DO NOT INDU number for a spontaneously	ssistance and , keep victim's	l instructions head low	ons. ered (f	Seek orward	immeo l) to re	diate r duce t	nedica he risk	l atter of asp	ntion. piration	If vom	iting occurs
		<u>Eyes</u> :	If product gets holding eyelid((s) open to ens	sure comp	lete flu	shing.	lf irrita	ation p	ersists	, seek	medic	al attent	ion.
		<u>Skin</u> :	Remove conta prompt medica	al attention. D	o not wear					•			•	
		Inhalation:	Remove victim	to fresh air at	once									



8.5

8.6

Hand Protection:

Body Protection:

SAFETY DATA SHEET

Page 2 of 5 **AB-007**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards

SDS Revision: 1.1 SI

SDS Revision Date: 3/19/2024

ттер											
	4. FIRST AID MEASURES – cont'd										
4.2	Effects of Exposure:		Ingestion: If product is swallowed, may cause nausea, intestinal discomfort, vomiting and/or diarrhea. Eves: Symptoms of overexposure may include redness, itching, irritation, and watering.								
			Skin: May be irritating to skin in some sensitive individuals.								
4.3	Symptoms of Overexposure:	Symptoms of overexposure may symptoms of skin overexposure m							ensitive	individ	luals,
4.4	Acute Health Effects:	Moderate irritation to eyes. Moder							individu	als.	
4.5	Chronic Health Effects:	No harmful or chronic health effer product contained in very small, m						estion. C	Compon	ents o	f this
4.6	Target Organs:	Eyes, Skin									
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, and disord	ers of the target	organs (eye	es).	HEAL	ТН				1
						FLAM	IMABIL	ITY			0
						PHYS	ICAL H	AZARD	S		0
									MENT		В
						EYES	S SK	IN			
5.4	Fire 0 Franksien Userander							, ,			
5.1	Fire & Explosion Hazards:	If involved in a fire, this product m CO ₂ , NO _x).	nay decompose	at high tem	peratures	s to form to	oxic gase	es (e.g., C	:0,		
5.2	Extinguishing Methods:	Water, Foam, CO ₂ , Dry Chemical									
5.3	Firefighting Procedures:	First responders should wear eye p and MSHA/NIOSH-approved self-c entering storm drains, bodies of w	contained breath vater, or other e	ing apparati	us. If pos ally sensi	sible, prev	ent runo	ff water fr	om		
		contaminated equipment with soap	py water before	eturning to	service.						
		6. ACCIDENT									
6.1	Spills:	Before cleaning any spill or leak Equipment (PPE). For <u>small spills</u> (e.g., < 1 gallon (3 equipment (e.g., goggles, gloves). Dispose of properly in accordance container with plenty of warm wate	3.8 L)) or <u>large s</u> Remove spilled e with local, stat	<u>pills</u> (e.g., ≩ material ar e, and fede	≥ 1 gallor id place ii ral regula	n (3.8 L)), v nto approp ations. Wa	wear app priate clos ash all at	propriate sed conta ffected ar	persona iner(s) f eas and	I prote or disp d outsi	ective oosal. de of
		7. HANDLING 8	<u>& STORAG</u>	<u>e info</u>	RMAT	ION					
7.1	Work & Hygiene Practices:	Do not eat, drink, or smoke while h									
7.2	Storage & Handling:	Use and store in a cool, dry, well- heat and open flames.	ventilated location	n (e.g., loca	al exhaus	t ventilatio	on, fans).	Keep av	vay fron	n exce	ssive
7.3	Special Precautions:	Spilled material may present a slip	ping hazard if le	ft unattende	d. Clear	n all spills p	promptly.				
	8. EXPOSURE CONTROLS & PERSONAL PROTECTION										
8.1	Exposure Limits:	ACGIH NOHSC OSHA OTHER					R				
	ppm (mg/m ³)	CHEMICAL NAME(S)	TLV STEL	ES-TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH		
				E3-TWA	SIEL	FEAN	FEL	SIEL	IDLN		
8.2	Ventilation & Engineering Controls:	When working with large quantiti Ensure that an eyewash station, s							t ventila	ation, fa	ans).
8.3	Respiratory Protection:	No special respiratory protection is use only respiratory protection a	required under	ypical circu	mstances	s of use or	handling	. If neces	sary,		
		applicable U.S. state regulations, states, or Australia.									
8.4	Eye Protection:		RRITATION	OTENTIAI	. Wear	protective	evewea	ar (e.a. s	afetv		
		glasses with side-shield) always w Always use protective eyewear wh	VOID EYE CONTACT DUE TO IRRITATION POTENTIAL. Wear protective eyewear (e.g., safety asses with side-shield) always when handling large quantities (e.g., ≥ 1 gallon (3.8 L)) of this product. ways use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft nses may absorb and concentrate irritants.								

May cause skin irritation in some sensitive individuals. Wear protective gloves. Do NOT touch eyes.

wash stations and deluge showers should be available.

No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards

SDS Revision: 1.1

SDS Revision Date: 3/19/2024

		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appearance:	Blue and white tablets
9.2	Odor:	Odorless
9.3	Odor Threshold:	NA
9.4	pH:	9.3
9.5	Melting Point/Freezing Point:	NA
9.6	Initial Boiling Point/Boiling Range:	NA
9.7	Flashpoint:	NA
9.8	Upper/Lower Flammability Limits:	NA
9.9	Vapor Pressure:	NA
9.10	Vapor Density:	NA
9.11	Relative Density:	NA
9.12	Solubility:	Complete in water
9.13	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA
9.17	Other Information:	NA
		10. STABILITY & REACTIVITY
10.1	Stability:	This product is stable.
10.2	Hazardous Decomposition	Oxides of carbon (e.g., CO, CO ₂)
40.0	Products:	
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid: Incompatible Substances:	Open flames, sparks, high heat and direct sunlight.
10.5	incompatible Substances:	None known or reported.
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: NO Absorption: YES Ingestion: YES
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature
11.3	Acute Toxicity:	is available for some of the components of the product, but are not presented in this document.
11.3	Chronic Toxicity:	See Section 4.4 See Section 4.5
11.4	Suspected Carcinogen:	
11.5	Suspected Carcinogen.	This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to <u>www.P65Warnings.ca.gov</u> .
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	See Section 4.2
11.8	Biological Exposure Indices:	NE
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There are no specific data available.
12.2	Effects on Plants & Animals:	There are no specific data available.
12.3	Effects on Aquatic Life:	Sodium Percarbonate: $LC_{50} = 70.7 \text{ mg/L}$ (96h, Pimephales promelas), $EC_{50} = 4.9 \text{ mg/L}$ (48h, Daphnia pulex)
		WGK: 2 (hazardous to water).
12.4	Wasta Diapage'	13. DISPOSAL CONSIDERATIONS
13.1 13.2	Waste Disposal: Special Considerations:	13. DISPOSAL CONSIDERATIONS Waste disposal must be in accordance with appropriate Federal, state, and local regulations. NA



Page 4 of 5 **AB-007**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards

SDS Revision: 1.1

SDS Revision Date: 3/19/2024

		14. TRANSPORTATION INFORMATION
may b	pe required by 49 CFR, IATA	proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information /ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED
		15. REGULATORY INFORMATION
15.1	SARA Reporting	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.
15.2	Requirements: SARA TPQ:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
15.4	CERCLA Reportable	NA
	Quantity:	
15.5	Other Federal Requirements:	This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA.
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the HPR and the SDS contains all the information required by the HPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.
15.7	State Regulatory Information:	Sodium Sulfate is listed on the following state criteria list(s): MA, and PA. No other hazardous ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI) Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer or other reproductive horm. For mere information on to wave D65Morphage on gov
15.8	Other Requirements:	harm. For more information go to <u>www.P65Warnings.ca.gov</u> .
10.0	e anor i tequironiene.	
		16. OTHER INFORMATION
16.1	Other Information:	
10.1		WARNING! CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS. Wash thoroughly after handling. Do not touch eyes. Wear eye/face protection. IF ON SKIN: wash with plenty of water and soap. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment: see section 4 of the Safety Data Sheet. If skin irritation occurs: Get medical help. IF eye irritation persists: Get medical help. Take off contaminated clothing and wash it before reuse. KEEP OUT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Active B, LLC's knowledge the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials all component properties must be considered. Data may be changed from time to time. ShipMate, Inc., Prestige Brands and C.B. Fleet Company, Inc., are not liable for any claims, losses, or damages of any third party, special, indirect incidental, consequential, or exemplary damages from reliance on the information in this document. Be sure to consult the latest edition.
16.4	Prepared for:	Active B, LLC 3147 California Street, NE, Suite 100-A Minneapolis, MN 55418 USA Tel: +1 (888) 997-2131 https://useactive.com
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 5 of 5 **AB-007**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards

SDS Revision: 1.1

SDS Revision Date: 3/19/2024

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists		
IDLH	Immediately Dangerous to Life and Health		
NOHSC	NOHSC National Occupational Health and Safety Commission (Australia)		
OSHA	OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit			
STEL	Short Term Exposure Limit		
TLV	Threshold Limit Value		
TWA	Time Weighted Average		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HE		
1	1 Slight Hazard			
2	Moderate Hazard	PH		
3	Severe Hazard	PE		
4	Extreme Hazard			

HEALTH
FLAMMABILITY
PHYSICAL HAZARDS
PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:



OTHER STANDARD ABBREVIATIONS:


Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition				
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

0	Minimal Hazard	5 1 A 101 A 101
1	Slight Hazard	FLAMMABI
2	Moderate Hazard	N N
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	
W	Use No Water	HEALTH
OX	Oxidizer	
TREFOIL	Radioactive	



TOXICOLOGICAL INFORMATION:

LD50 Lethal Dose (solids & liquids) which kills 50% of the exposed a				
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal			
ppm Concentration expressed in parts of material per million parts				
TDio	TD _{I0} Lowest dose to cause a symptom			
TCLo	Lowest concentration to cause a symptom			
TDIo, LDIo, & LDo or	r Lowest dose (or concentration) to cause lethal or toxic effects			
TC, TC _o , LC _{lo} , & LC _o				
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TLm	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

CLP/GHS (1272/2008/EC) PICTOGRAMS:

		٩	$\langle i \rangle$	Red A		(:)		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment