

Skin:

Inhalation:

None expected.

SAFETY DATA SHEET

Page 1 of 5 **AB-001**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards SDS Revision Date: 3/6/2024 SDS Revision: 1.1 1. PRODUCT & COMPANY IDENTIFICATION Product Name 11 ACTIVE® COFFEE MAKER CLEANER TABLETS 1.2 Chemical Name: NA 1.3 Synonyms: NA Trade Names: 1.4 Active® Coffee Maker Cleaner Tablets 1.5 Product Use: Coffee machine cleanser Distributor's Name: 1.6 Active B, LLC Distributor's Address: 3147 California Street, NE, Suite 100-A, Minneapolis, MN 55418 USA 17 1.8 Emergency Phone: INFOTRAC +1 (800) 535-5053 / +1 (352-323-3500) Business Phone / Fax: Tel: +1 (888) 997-2131) 1.9 2. HAZARDS IDENTIFICATION Hazard Identification: 2.1 Prepared in accordance with UN Globally Harmonized standards. Intended to comply with OSHA 29 CFR 1910.1200. Canadian WHMIS and Australian Work Health and Safety standards. WARNING! CAUSES SKIN IRRITATION. CAUSES SEROUS EYE IRRITATION. HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS. Classification: Skin Irrit. 2, Eye Irrit. 2A; Aq. Chronic 3 2.2 Label Elements Hazard Statements (H): H315 - Causes skin irritation. H319 - Causes serious eye irritation. H412 - Harmful to aquatic life with long lasting effects. Precautionary Statements (P): P264+P265 - Wash thoroughly after handling. Do not touch eyes. P273 – Avoid release to the environment. P280 – Wear eye/face protection. P302+P352 – IF ON SKIN: wash with plenty of water and soap. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment: see section 4 of the Safety Data Sheet. P332+P317 – If skin irritation occurs: Get medical help. P337+P317 - IF eye irritation persists: Get medical help. P362+P364 - Take off contaminated clothing and wash it before reuse. P501 - Dispose of contents/container to a licensed treatment, storage, or disposal facility (TSDF). Other Warnings: KEEP OUT OF REACH OF CHILDREN. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC **OSHA** ppm ppm ppm FS. FS-FS-CHEMICAL NAME(S) EINECS No. TLV STEL TWA PEL STEL IDLH OTHER RTECS No CAS No. STEL PEAK 15-40 5329-14-6 NA 226-218-8 NA NA NF NF NF NA NA NA SULFAMIC ACID Eye Irrit. 2A; Skin Irrit. 2; Aq. Chronic 3; H319, H315, H412 9005-25-8 9005-25-8 232-679-6 10-30 NA NA NF NF NF NA NA NA STARCH 77-92-9 GE7350000 201-069-1 10-30 NA NA NF NF NF NA NA NA CITRIC ACID 144-55-8 VZ0950000 205-633-8 7-13 NA NA NF NF NF NA NA NA SODIUM BICARBONATE 25322-68-3 NA 500-038-2 1-5 NA NA NF NF NF NA NA NA POLYETHYLENE GLYCOL 4. FIRST AID MEASURES First Aid: 4 1 DO NOT INDUCE VOMITING. Contact the nearest Poison Control Center or local emergency telephone Ingestion: number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, Eyes: holding eyelid(s) open to ensure complete flushing. If irritation persists, seek medical attention. Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek Skin: prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned. Inhalation: Remove victim to fresh air at once. Effects of Exposure: 4.2 If product is swallowed, may cause nausea, intestinal discomfort, vomiting and/or diarrhea. Ingestion: Symptoms of overexposure may include redness, itching, irritation and watering. Eyes:

May be irritating to skin in some sensitive individuals.



SAFETY DATA SHEET

Page 2 of 5 **AB-001**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards SDS Revision: 1.1 SDS Revision Date: 3/6/2024

		4. FIRST A	AID MI	EASU	RES -	cont'	d					
.3	Symptoms of Overexposure:	Symptoms of overexposure may in of skin overexposure may include	nclude re redness,	dness, ito itching, a	ching, irrita and irritatio	ition and on of affe	watering. cted areas	In some	sensitive	individu	uals, sym	ptor
.4	Acute Health Effects:	Moderate irritation to eyes. Moder	rate irritat	ion to sk	in near affe	ected are	as and wit	th some	sensitive	individu	ıals.	
.5	Chronic Health Effects:	No harmful or chronic health effect contained in very small, may be m	No harmful or chronic health effects are expected to occur from a single accidental ingestion. Components of this product contained in very small, may be mild allergens to some sensitive individuals.									
6	Target Organs:	Eyes, Skin										
7	Medical Conditions Aggravated by Exposure: Pre-existing dermatitis, and disorders of the target organs (eyes). HEALTH						1					
							FI	AMMA	BILITY			(
									L HAZA	RDS		
		PROTECTIVE EC			TIVE EC	QUIPMENT						
									SKIN			
	I	f FIDE	-1011		45 4 0 1	DEO	I				·	
	Γ	5. FIRE										
1	Fire & Explosion Hazards:	If involved in a fire, this product n CO ₂ , NO _x).	nay decoi	mpose at	t high temp	peratures	to form to	oxic gase	es (e.g., (CO,		
2	Extinguishing Methods: Firefighting Procedures:	Water, Foam, CO ₂ , Dry Chemical										~
		First responders should wear eye and MSHA/NIOSH-approved self-entering storm drains, bodies of contaminated equipment with soa	contained water, or	d breathir other en	ig apparati vironmenta	us. If pos ally sensi	sible, prev	ent runo	ff water fr	om		>
	T	6. ACCIDEN	TAL R	ELEA	SE ME	ASU	RES					
		Before cleaning any spill or leak, ir (PPE).				·						
			(3.8 L)) o . Remov	or <u>large s</u> /e spilled ocal, stat	spills (e.g. material a e, and fed	, ≥ 1 gal and place leral regi	lon (3.8 L) into apprulations.)), wear opriate o Wash all	appropria closed col affected	te pers ntainer(areas	onal pro s) for dis and out	tec spo
		(PPE). For small spills (e.g., < 1 gallon equipment (e.g., goggles, gloves) Dispose of properly in accordance container with plenty of warm water	(3.8 L)) on the control of the contr	or <u>large s</u> /e spilled ocal, state ap. Rem	spills (e.g. material a e, and fed nove any c	, ≥ 1 gal and place leral regi ontamina	lon (3.8 L) e into appr ulations. uted clothir)), wear opriate o Wash all	appropria closed col affected	te pers ntainer(areas	onal pro s) for dis and out	tec spos
1	Work & Hygiene Practices:	(PPE). For small spills (e.g., < 1 gallon equipment (e.g., goggles, gloves) Dispose of properly in accordance container with plenty of warm water 7. HANDLING	(3.8 L)) on the control of the contr	or <u>large s</u> ve spilled ocal, state ap. Rem	spills (e.g. material a e, and fed nove any c	, ≥ 1 gal and place leral regi ontamina	lon (3.8 L) e into appr ulations. uted clothir)), wear opriate o Wash all	appropria closed col affected	te pers ntainer(areas	onal pro s) for dis and out	tec spo
	Work & Hygiene Practices: Storage & Handling:	(PPE). For small spills (e.g., < 1 gallon equipment (e.g., goggles, gloves) Dispose of properly in accordance container with plenty of warm water 7. HANDLING Do not eat, drink, or smoke while I Use and store in a cool, dry, well-ventor small spills and store in a cool, dry, well-ventor small spills and store in a cool, dry, well-ventor small spills and store in a cool, dry, well-ventor small spills and store in a cool, dry, well-ventor small spills and store in a cool, dry, well-ventor small spills and store in a cool, dry, well-ventor small spills and store in a cool, dry, well-ventor small spills and store in a cool, dry, well-ventor small spills and store in a cool, dry, well-ventor small spills and store in a cool, dry, well-ventor spills and spills and store in a cool, dry, well-ventor spills and store in a cool, dry, well-ventor spills and sp	(3.8 L)) on the control of the contr	or large some spilled ocal, state ap. Rem ORAG	material a e, and fed nove any c	, ≥ 1 gal and place leral regi ontamina	lon (3.8 L) into appropriations. Inted clothin)), wear copriate o Wash all ng and w	appropria closed col affected ash thoro	te pers ntainer(areas ughly b	onal pro s) for dis and out efore reu	tec spo side
2	• •	(PPE). For small spills (e.g., < 1 gallon equipment (e.g., goggles, gloves) Dispose of properly in accordance container with plenty of warm water 7. HANDLING Do not eat, drink, or smoke while leads to small spills.	(3.8 L)) (3.8 L)) (3.8 L)) (4.1 Remove with lot er and so er and s	or <u>large s</u> ye spilled ocal, state ap. Rem ORAG this produ	material a e, and fed nove any c E INFO uct. (e.g., local	, ≥ 1 gal and place leral regi ontamina DRMA	lon (3.8 L) e into apprulations. Inted clothin	opriate of Wash all mg and wash all	appropria closed co affected ash thoro	te pers ntainer(areas ughly b	onal pro s) for dis and out efore reu	tec spo side
2	Storage & Handling:	(PPE). For small spills (e.g., < 1 gallon equipment (e.g., goggles, gloves) Dispose of properly in accordance container with plenty of warm water 7. HANDLING Do not eat, drink, or smoke while I Use and store in a cool, dry, well-wand open flames. Spilled material may present a slip	(3.8 L)) on the control of the contr	or large some spilled ocal, state ap. Rem ORAG this production location ard if left	material a e, and fed nove any c E INFC uct. (e.g., local unattende	, ≥ 1 gal and place leral regressiontamina DRMA exhaust d. Clear	lon (3.8 Le into apprulations. Inted clothin)), wear opriate cowash all ag and won, fans).	appropria closed con affected ash thoro	te pers ntainer(areas ughly b	onal pro s) for dis and out efore reu	tec spo side
3	Storage & Handling: Special Precautions:	(PPE). For small spills (e.g., < 1 gallon equipment (e.g., goggles, gloves) Dispose of properly in accordance container with plenty of warm water 7. HANDLING Do not eat, drink, or smoke while I Use and store in a cool, dry, well-wand open flames.	(3.8 L)) (3.8 L)) (3.8 L)) (3.8 L)) (4.1 Remove with loser and some some some some some some some some	or large size spilled ocal, statuap. Rem DRAG this produlocation ard if left	material a e, and fed nove any c E INFC uct. (e.g., local unattende	, ≥ 1 gal and place leral regiontamina DRMA exhaust ad. Clear	lon (3.8 Le into apprulations. Inted clothin)), wear opriate cowash all ag and won, fans).	appropria	te pers ntainer(areas ughly b	onal production on the control of th	tec spo side
3	Storage & Handling:	(PPE). For small spills (e.g., < 1 gallon equipment (e.g., goggles, gloves) Dispose of properly in accordance container with plenty of warm water 7. HANDLING Do not eat, drink, or smoke while I Use and store in a cool, dry, well-wand open flames. Spilled material may present a slip	(3.8 L)) (3.8 L)) (3.8 L)) (3.8 L)) (4.1 Remove with loser and some some some some some some some some	or large some spilled ocal, state ap. Rem ORAG this production location ard if left	material a e, and fed nove any c E INFC uct. (e.g., local unattende	, ≥ 1 gal and place leral regressiontamina DRMA exhaust d. Clear	lon (3.8 Le into apprulations. Inted clothin)), wear opriate cowash all ag and won, fans).	appropria closed con affected ash thoro	te pers ntainer(areas ughly b	onal pro s) for dis and out efore reu	tec spo side
1 2 3	Storage & Handling: Special Precautions: Exposure Limits:	(PPE). For small spills (e.g., < 1 gallon equipment (e.g., goggles, gloves) Dispose of properly in accordance container with plenty of warm water. 7. HANDLING Do not eat, drink, or smoke while Use and store in a cool, dry, well-wand open flames. Spilled material may present a slip 8. EXPOSURE CONT CHEMICAL NAME(S)	(3.8 L)) on Remove with lover and so	por large size spilled pocal, statian. Rem DRAG this production ard if left S & PE GIH STEL uct, provider	material a e, and fed nove any c E INFC uct. (e.g., local unattende ES-TWA	≥ 1 gal and place eral regiontamina DRMA exhaust d. Clear AL PI NOHSC ES- STEL ate ventila	lon (3.8 L) into apprulations. Inted clothin ted clothin ted clothin all spills per all spills peak.)), wear reprinted to Wash all ag and we have the control of the c	appropria closed con affected ash thoro Keep awa OSHA STEL	te pers ntainer(areas ughly b	onal pross) for disand out efore ret	tec spo side use
	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering	(PPE). For small spills (e.g., < 1 gallon equipment (e.g., goggles, gloves) Dispose of properly in accordance container with plenty of warm water. 7. HANDLING Do not eat, drink, or smoke while I Use and store in a cool, dry, well-wand open flames. Spilled material may present a slip Section (Spilled Material May Present a slip CHEMICAL NAME(S) When working with large quantities that an eyewash station, sink, or was not present a spilled material respiratory protection is use only respiratory protection applicable U.S. state regulations,	(3.8 L)) (3.8 L)) (3.8 L)) (4.1 Remove the control of the control	DRAG this production ard if left SEPE ULCT, proving is available under tyde per U.	material a e, and fed iove any c E INFO uct. (e.g., local unattende ERSON ES-TWA de adequa able in cas pical circu S. OSHA':	P 1 gal and place eral regiontamina PRMA exhaust d. Clear NOHSC ES- STEL ate ventilia e of expormstances requires	ton (3.8 L) into apprulations. Interest into apprulations. Interest into apprulations. In all spills into a lateral properties of use or ament in 2	opriate cowash all ag and w. opromptly. CTION PEL local ex res. handling 29 CFR	appropria closed col affected ash thoro Keep awa OSHA STEL haust ver	te pers ntainer(areas ughly b ay from IDLH Itilation ssary, 34, or	onal pross) for disand out efore ret	tec spc side use
2 2 3 3	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering Controls:	(PPE). For small spills (e.g., < 1 gallon equipment (e.g., goggles, gloves) Dispose of properly in accordance container with plenty of warm water 7. HANDLING Do not eat, drink, or smoke while I Use and store in a cool, dry, well-vand open flames. Spilled material may present a slip 8. EXPOSURE CONT CHEMICAL NAME(S) When working with large quantities that an eyewash station, sink, or working with large representation is use only respiratory protection is use only respiratory protection.	(3.8 L)) of the control of the contr	DRAG this production ard if left S & PE GIH STEL uct, proving is availad a under ty do per U. ppropriate TION Podling larging spills	material ace, and fed nove any content in the conte	PAL PI NOHSC ES- STEL AL PI NOHSC ES- STEL ARE Ventille e of experies of Car Wear es (e.g.,	lon (3.8 L) into appropriations. Interest of the control of the c	pel. local exves. handling CP	appropriaciosed con affected ash thoro Keep awa OSHA STEL haust ver J. If neces §1910.13 , E.C. me ar (e.g., sof this profits)	IDLH IDLH ssary, safety bduct.	onal pross) for disand out efore ret	tec spo side use
3	Storage & Handling: Special Precautions: Exposure Limits: ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection:	(PPE). For small spills (e.g., < 1 gallon equipment (e.g., goggles, gloves) Dispose of properly in accordance container with plenty of warm water 7. HANDLING Do not eat, drink, or smoke while I Use and store in a cool, dry, well-wand open flames. Spilled material may present a slip 8. EXPOSURE CONT CHEMICAL NAME(S) When working with large quantities that an eyewash station, sink, or was not special respiratory protection as applicable U.S. state regulations, states, or Australia. AVOID EYE CONTACT DUE TO glasses with side-shield) always was protective eyewear with side-shield always was experienced and side always was experienced always was experienced and side always was experien	(3.8 L)) of the control of the contr	DRAG this production and if left STEL uct, provint is availed under ty do per U. ppropriate trion programs.	material ace, and fed nove any content in the conte	PRMA exhaust d. Clear NOHSC ES- STEL ate ventile e of experiments of Car wear es (e.g., Contact	lon (3.8 L. e into apprulations. Inted clothin the control of the	pel local ex rovinces e eyewea (3.8 L)) o ea special ex	appropriaciosed con affected ash thoro Keep awa OSHA STEL haust ver J. If neces §1910.13 , E.C. me ar (e.g., s of this proial hazard	IDLH IDLH attilation ssary, safety oduct. d; soft	onal pross) for disand out efore ret	tec spo side use



SAFETY DATA SHEET

Page 3 of 5 **AB-001**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards SDS Revision Date: 3/6/2024 SDS Revision: 1.1 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: 9.1 White tablets 9.2 Odor: Odorless 9.3 Odor Threshold: NA 2.3 9.4 Melting Point/Freezing Point: 9.5 NA 9.6 Initial Boiling Point/Boiling NA 9.7 Flashpoint: NA 9.8 Upper/Lower Flammability NA 99 Vapor Pressure: NA 9.10 Vapor Density: NA 9.11 Relative Density: NA Solubility: 9.12 Complete in water 9.13 Partition Coefficient (log Pow): NA Autoignition Temperature: NA Decomposition Temperature: 9.15 NA 9.16 Viscosity: NA 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: This product is stable. 10.2 Hazardous Decomposition Oxides of carbon (e.g., CO, CO₂) Products: 10.3 Hazardous Polymerization: Will not occur. 10.4 Open flames, sparks, high heat and direct sunlight. Conditions to Avoid 10.5 Incompatible Substances: None known or reported. 11. TOXICOLOGICAL INFORMATION Inhalation: NO Routes of Entry: Absorption: YES 11.1 YES 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product, but are not presented in this document 11.3 Acute Toxicity: See Section 4.4 11.4 Chronic Toxicity: See Section 4.5 11.5 Suspected Carcinogen: This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans 11.7 Irritancy of Product: See Section 4.2 11.8 Biological Exposure Indices: NF 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION Environmental Stability: 12.1 There are no specific data available Effects on Plants & Animals: 12.2 There are no specific data available 12.3 Effects on Aquatic Life WGK: 1 (slightly hazardous to water) 13. DISPOSAL CONSIDERATIONS Waste Disposal: Waste disposal must be in accordance with appropriate Federal, state, and local regulations 13.2 Special Considerations: NA



16.1 Other Information:

Prepared by:

SAFETY DATA SHEET

Page 4 of 5 **AB-001**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards

SDS Revision: 1.1

SDS Revision Date: 3/6/2024

14.	TRANSPORT	ATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED

15. REGULATORY INFORMATION

15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.
15.2	SARA TPQ:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
15.4	CERCLA Reportable Quantity:	NA
15.5	Other Federal Requirements:	This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA.
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the HPR and the SDS contains all the information required by the HPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.
15.7	State Regulatory Information:	Starch is listed on the following state criteria list(s): MA, MN, and PA. Polyethylene Glycol is listed on the following state criteria list(s): MN. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
15.8	Other Requirements:	NA

16. OTHER INFORMATION

WARNING! CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. HARMFUL TO AQUATIC LIFE WITH

		LONG LASTING EFFECTS. Wash thoroughly after handling. Do not touch eyes. Avoid release to the environment. Wear eye/face protection. IF ON SKIN: wash with plenty of water and soap. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment: see section 4 of the Safety Data Sheet. If skin irritation occurs: Get medical help. IF eye irritation persists: Get medical help. Take off contaminated clothing and wash it before reuse. KEEP OUT OF REACH OF CHILDREN.	
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Active B, LLC's knowledge the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. ShipMate, Inc., Prestige Brands and C.B. Fleet Company, Inc., are not liable for any claims, losses, or damages of any third party, special, indirect, incidental, consequential, or exemplary damages from reliance on the information in this document. Be sure to consult the latest edition.	
16.4	Prepared for:	Active B, LLC 3147 California Street. NE. Suite 100-A	

3147 California Street, NE, Suite 100-A Minneapolis, MN 55418 USA Tel: +1 (888) 997-2131 https://useactive.com ShipMate, Inc.

AGIIVE

ShipMate

P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700

http://www.shipmate.com

Dangerous Gooas Training & Consul



SAFETY DATA SHEET

Page 5 of 5 **AB-001**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards

SDS Revision: 1.1

SDS Revision Date: 3/6/2024

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

	CAS No. Chemical Abstract Service Number				
	RTECS No.	No. Registry of Toxic Effects of Chemical Substances Number			
EINECS No. European Inventory of Existing Commercial Chemica		European Inventory of Existing Commercial Chemical Substances Number			

EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienists	
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV Threshold Limit Value	
TWA Time Weighted Average	

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1 Slight Hazard		
2	Moderate Hazard	
3 Severe Hazard		
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:

Α			
В			
С			
D			
Ε			
F		THE STATE OF THE S	9





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic	
Irrit	Irritant	
NA	Not Available	
NR	No Results	
ND	Not Determined	
NE	Not Established	
NF	Not Found	
SCBA	Self-Contained Breathing Apparatus	
Sens	Sensitization	
STOT RE	Specific Target Organ Toxicity – Repeat Exposure	
STOT SE		

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:		
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		

HAZARD RATINGS:

Minimal Hazard		FLAMMABILITY		
1	Slight Hazard	\ .		
2	Moderate Hazard	REACTIVITY		
3	Severe Hazard			
4	Extreme Hazard			
ACD Acidic				
ALK Alkaline				
COR	Corrosive	/ \ \		
W	Use No Water	HEALTH 🔪		
ОХ	Oxidizer	SPECIAL		
TREFOIL	Radioactive	PRECAUTIONS		

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals			
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal			
ppm	Concentration expressed in parts of material per million parts			
TD _{lo}	Lowest dose to cause a symptom			
TCLo	Lowest concentration to cause a symptom			
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects			
TC, TCo, LCio, & LCo				
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TLm	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			(1)		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment