

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards SDS Revision: 1.0 SDS Revision Date: 3/9/2024

1. PRODUCT & COMPANY IDENTIFICATION

1.1	Product Name:	ACTIVE® SEAL & GROUT MOLD STAIN REMOVER GEL
1.2	Chemical Name:	NA
1.3	Synonyms:	NA
1.4	Trade Names:	Active® Seal & Grout Mold Stain Remover Gel
1.5	Product Use:	Seal & Grout Mold Stainer Cleaner
1.6	Distributor's Name:	Active B, LLC
1.7	Distributor's Address:	3147 California Street, NE, Suite 100-A, Minneapolis, MN 55418 USA
1.8	Emergency Phone:	INFOTRAC +1 (800) 535-5053 / +1 (352-323-3500)
1.9	Business Phone / Fax:	Tel: +1 (888) 997-2131)

2. HAZARDS IDENTIFICATION

2.1	Hazard Identification:	Prepared in accordance with UN Globally Harmonized standards. Intended to comply with OSHA 29 CFR 1910.1200. Canadian WHMIS and Australian Work Health and Safety standards. DANGER! MAY BE CORROSIVE TO METALS. HARMUL IF SWALLOWED. CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. Classification: Corr. Metals 1, Acute Tox. 4 (oral), Skin Corr. 1C	
2.2	Label Elements:	Signal Word: DANGER Hazard Statements (H): H290 – May be corrosive to metals. H302– Harmful if swallowed. H314 – Causes severe skin burns and eye damage. Precautionary Statements (P): P203 – Obtain, read, and follow all safety instructions before use. P234 – Keep only in original packaging. P260 – Do not breathe dust or mist. P264 – Wash thoroughly with soap and water after handling. P270 – Do not eat, drink, or smoke when using this product. P280 – Wear protective gloves/ protective clothing /eye protection. P301+P330+P331 – IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302+P361+P354 – IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes. P363 – Wash contaminated clothing before reuse. P304+P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing. P316 – Get emergency medical help immediately. P305+P354+P338 – IF IN EYES: Immediately rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 – Specific treatment see section 4 (first aid) of this SDS or container label. P390 – Absorb spillage to prevent material-damage. P405 – Store locked up. P406 – Store in a corrosion resistant container with a resistant inner liner. P501 - Dispose of contents/container to licenses treatment, storage and disposal facility (TSDF).	
2.3	Other Warnings:	In the event of an exposure or medical inquiry involving this product, please contact a physician or local poison control center, who may seek advice from the U.S. manufacturer, and show them this SDS. KEEP OUT OF REACH OF CHILDREN.	

3. COMPOSITION & INGREDIENT INFORMATION

CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m ³)									OTHER
					ACGIH		NOHSC			OSHA				
					ppm		ppm			ppm				
					TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH		
WATER	7732-18-5	ZC0110000	231-791-2	60-100										
SODIUM HYPOCHLORITE	7681-52-9	NA	231-668-3	≤ 10	NA	NA	NF	NF	NF	NA	NA	NA		
	Skin Corr. 1B; Aquatic Acute 1; H314, H400													
SODIUM LAURETH SULFATE	9004-82-4	WB7499000	618-398-5	5-10	NA	NA	NF	NF	NF	NA	NA	NA		
SODIUM SILICATE	106985-35-7	NA	NA	≤ 5	NA	NA	NF	NF	NF	NA	NA	NA		
SODIUM POLYACRYLATE	9004-32-4	NA	618-378-6	≤ 1	NA	NA	NF	NF	NF	NA	NA	NA		
SODIUM HYDROXIDE	1310-73-2	WB4900000	215-185-5	≤ 1	NA	NA	NF	NF	NF	NA	NA	NA		
	Skin Corr. 1A; H314													

4. FIRST AID MEASURES

4.1	First Aid:	<p><u>Ingestion:</u> DO NOT INDUCE VOMITING. Contact ChemTrec +1 (800) 424-9300 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.</p> <p><u>Eyes:</u> If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately.</p> <p><u>Skin:</u> Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned.</p> <p><u>Inhalation:</u> Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration. Seek immediate medical attention.</p>																				
4.2	Effects of Exposure:	<p><u>Eyes:</u> Severe or permanent eye damage. Corrosive.</p> <p><u>Skin:</u> Severe irritation and possible burns.</p> <p><u>Ingestion:</u> Severe burns of mouth, throat, and stomach. Symptoms may include vomiting, diarrhea, and abdominal pain.</p> <p><u>Inhalation:</u> Severe irritation of respiratory tract and mucous membranes; coughing, difficulty breathing.</p>																				
4.3	Symptoms of Overexposure:	<p><u>Eyes:</u> Redness, burning, irritation, and swelling around eyes. Possible permanent eye damage.</p> <p><u>Skin:</u> Redness, burning, itching, rash, and scaling of the skin (dermatitis).</p> <p><u>Ingestion:</u> Nausea, vomiting, severe abdominal pain.</p> <p><u>Inhalation:</u> Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing.</p>																				
4.4	Acute Health Effects:	Severe or permanent eye damage. Severe irritation and possible burns. Severe burns of mouth, throat, and stomach. Severe irritation of respiratory tract and mucous membranes.																				
4.5	Chronic Health Effects:	Severe or permanent eye damage.																				
4.6	Target Organs:	Eyes, skin, respiratory system.																				
4.7	Medical Conditions Aggravated by Exposure:	<p>Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system). Preclude from exposure those individuals that are susceptible to dermatitis, asthma, or bronchitis.</p> <table border="1" style="float: right;"> <tr> <td colspan="3">HEALTH</td> <td>3</td> </tr> <tr> <td colspan="3">FLAMMABILITY</td> <td>0</td> </tr> <tr> <td colspan="3">PHYSICAL HAZARDS</td> <td>1</td> </tr> <tr> <td colspan="3">PROTECTIVE EQUIPMENT</td> <td>B</td> </tr> <tr> <td>EYES</td> <td>SKIN</td> <td>LUNGS</td> <td></td> </tr> </table>	HEALTH			3	FLAMMABILITY			0	PHYSICAL HAZARDS			1	PROTECTIVE EQUIPMENT			B	EYES	SKIN	LUNGS	
HEALTH			3																			
FLAMMABILITY			0																			
PHYSICAL HAZARDS			1																			
PROTECTIVE EQUIPMENT			B																			
EYES	SKIN	LUNGS																				

5. FIREFIGHTING MEASURES

5.1	Fire & Explosion Hazards:	Non-flammable. Use media as appropriate for surrounding fire. Contact with metals may release flammable hydrogen gas.	
5.2	Extinguishing Methods:	Carbon dioxide, foam, water spray, Halon (if permitted), dry chemical extinguisher.	
5.3	Firefighting Procedures:	As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway.	

6. ACCIDENTAL RELEASE MEASURES

6.1	Spills:	<p>Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact.</p> <p><u>Small Spills:</u> Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible, inert material such as vermiculite or sand to soak up the product and place into a corrosion resistant container with inner liner for later disposal.</p> <p><u>Large Spills:</u> Keep incompatible materials (e.g., organics such as oil) away from spills. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant/ corrosion resistant container with inner liner for later disposal. Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters.</p>
-----	---------	--

7. HANDLING & STORAGE INFORMATION

7.1	Work & Hygiene Practices:	Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Immediately clean-up and decontaminate any spills or residues.
7.2	Storage & Handling:	Keep only in original packaging. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Keep away from incompatible substances (see Section 10). Protect containers from physical damage.
7.3	Special Precautions:	Empty containers may retain hazardous product residues.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1	Exposure Limits: ppm (mg/m ³)	ACGIH		NOHSC			OSHA			OTHER
		TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
		CHEMICAL NAME(S) SODIUM HYDROXIDE								
		(2)	NA	NF	2	NF	(2)	NA	(10)	(2) NIOSH
8.2	Ventilation & Engineering Controls:	Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).								
8.3	Respiratory Protection:	In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia (e.g., NIOSH approved respirator with full or half-face N95 cartridge)								
8.4	Eye Protection:	Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended.								
8.5	Hand Protection:	Wear protective, chemical-resistant gloves (e.g., neoprene, nitrile, butyl rubber) when using or handling this product.								
8.6	Body Protection:	A chemical resistant apron and/or protective clothing are recommended when handling or using this product.								

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Appearance:	White gel
9.2	Odor:	Sharp, pungent, bleach-like odor
9.3	Odor Threshold:	NA
9.4	pH:	12.5 @ 19 - 22°C
9.5	Melting Point/Freezing Point:	NA
9.6	Initial Boiling Point/Boiling Range:	NA
9.7	Flashpoint:	NA
9.8	Upper/Lower Flammability Limits:	LEL: NA; UEL: NA
9.9	Vapor Pressure:	17.5 mmHg @ 20 °C
9.10	Vapor Density:	2.5
9.11	Relative Density:	1.083
9.12	Solubility:	Soluble in water
9.13	Partition Coefficient (log P _{ow}):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA
9.17	Other Information:	Evaporation Rate: < 1.0 (ethyl ether = 1.0)

10. STABILITY & REACTIVITY

10.1	Stability:	This product is stable.
10.2	Hazardous Decomposition Products:	Oxides of carbon (e.g., CO, CO ₂)
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, sparks, high heat and direct sunlight.
10.5	Incompatible Substances:	None known or reported.

11. TOXICOLOGICAL INFORMATION

11.1	Routes of Entry:	Inhalation: YES	Absorption: YES	Ingestion: YES
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product, and is presented below: Sodium Hypochlorite: LD ₅₀ (oral, rat) = 8.91 g/kg; Sodium Hydroxide: LD ₅₀ (oral, rat) = 325 mg/kg		
11.3	Acute Toxicity:	See Section 4.4		
11.4	Chronic Toxicity:	See Section 4.5		
11.5	Suspected Carcinogen:	This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov .		
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.		
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.		
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.		
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.		
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.		
11.7	Irritancy of Product:	See Section 4.2		
11.8	Biological Exposure Indices:	NE		
11.9	Physician Recommendations:	Treat symptomatically.		

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 2020/878/EU Standards	SDS Revision: 1.0	SDS Revision Date: 3/9/2024
--	-------------------	-----------------------------

12. ECOLOGICAL INFORMATION

12.1	Environmental Stability:	There are no specific data available.
12.2	Effects on Plants & Animals:	There are no specific data available.
12.3	Effects on Aquatic Life:	Sodium Hypochlorite: LC ₅₀ = 0.065 mg/L (96h, Clupea pallas), EC ₅₀ = 4.9 mg/L (48h, Daphnia magna); EC ₅₀ = 0.05 mg/L, 72h (Pseudokirchnerella subcapitata). WGK: 2 (hazardous to water).

13. DISPOSAL CONSIDERATIONS

13.1	Waste Disposal:	Waste disposal must be in accordance with appropriate Federal, state, and local regulations.
13.2	Special Considerations:	U.S. EPA Hazardous Waste: Characteristic – Corrosive (D002)

14. TRANSPORTATION INFORMATION


The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1	49 CFR (GND):	UN1791, HYPOCHLORITE SOLUTIONS, 8, III (LTD QTY, IP VOL ≤ 5.0 L)	
14.2	IATA (AIR):	UN1791, HYPOCHLORITE SOLUTIONS, 8, III (LTD QTY, IP VOL ≤ 2.5 L & OP VOL ≤ 1.0 L)	
14.3	IMDG (OCN):	UN1791, HYPOCHLORITE SOLUTIONS, 8, III (LTD QTY, IP VOL ≤ 5.0 L)	
14.4	TDGR (Canadian GND):	UN1791, HYPOCHLORITE SOLUTIONS, 8, III (LTD QTY, IP VOL ≤ 5.0 L)	
14.5	ADR/RID (EU):	UN1791, HYPOCHLORITE SOLUTIONS, 8, III (LTD QTY, IP VOL ≤ 5.0 L)	
14.6	SCT (MEXICO):	UN1791, HIPOCLORITOS EN SOLUCION, 8, III (CANT. LTDA., IP VOL ≤ 5.0 L)	
14.7	ADGR (AUS):	UN1791, HYPOCHLORITE SOLUTIONS, 8, III (LTD QTY, IP VOL ≤ 5.0 L)	

15. REGULATORY INFORMATION

15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.
15.2	SARA TPQ:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
15.4	CERCLA Reportable Quantity:	<u>Sodium Hypochlorite</u> : 100 lbs (45.4 kg); <u>Sodium Hydroxide</u> : 1000 lbs (454 kg)
15.5	Other Federal Requirements:	This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA.
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the HPR and the SDS contains all the information required by the HPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.
15.7	State Regulatory Information:	<p><u>Sodium Hypochlorite</u> is listed on the following state criteria list(s): MA, MN, NJ, and PA.</p> <p><u>Sodium Hydroxide</u> is listed on the following state criteria list(s): FL, MA, MN, NJ, PA, and WA.</p> <p>No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).</p> <p>This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov.</p>
15.8	Other Requirements:	NA

16. OTHER INFORMATION

16.1	Other Information:	<p>DANGER! MAY BE CORROSIVE TO METALS. HARMFUL IF SWALLOWED. CAUSES SKIN BURNS AND EYE DAMAGE. HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.</p> <p>May be corrosive to metals. H302– Harmful if swallowed. H314 – Causes severe skin burns and eye damage.</p> <p><u>Precautionary Statements (P):</u> P203 – Obtain, read, and follow all safety instructions before use. P234 – Keep only in original packaging. P260 – Do not breathe dust or mist. P264 – Wash thoroughly with soap and water after handling. P270 – Do not eat, drink, or smoke when using this product. P280 – Wear protective gloves/ protective clothing /eye protection / face protection. P301+P330+P331 – IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302+P361+P354 – IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes. P363 – Wash contaminated clothing before reuse. P304+P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing. P316 – Get emergency medical help immediately. P305+P354+P338 – IF IN EYES: Immediately rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 – Specific treatment see section 4 (first aid) of this SDS or container label. P390 – Absorb spillage to prevent material-damage. P405 – Store locked up. P406 – Store in a corrosion resistant container with a resistant inner liner. P501 - Dispose of contents/container to licenses treatment, storage and disposal facility (TSDf).</p> <p>Wash thoroughly after handling. Do not touch eyes. Wear eye/face protection. IF ON SKIN: wash with plenty of water and soap. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment: see section 4 of the Safety Data Sheet. If skin irritation occurs: Get medical help. IF eye irritation persists: Get medical help. Take off contaminated clothing and wash it before reuse.</p> <p>KEEP OUT OF REACH OF CHILDREN.</p>
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA’s Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate’s & Active B, LLC’s knowledge the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. ShipMate, Inc., Prestige Brands and C.B. Fleet Company, Inc., are not liable for any claims, losses, or damages of any third party, special, indirect, incidental, consequential, or exemplary damages from reliance on the information in this document. Be sure to consult the latest edition.
16.4	Prepared for:	<p>Active B, LLC 3147 California Street, NE, Suite 100-A Minneapolis, MN 55418 USA Tel: +1 (888) 997-2131 https://useactive.com</p> <div style="text-align: right; font-size: 2em; font-weight: bold;">ACTIVE[®]</div>
16.5	Prepared by:	<p>ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com</p> <div style="text-align: right;">  <i>Dangerous Goods Training & Consulting</i> </div>

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
------------	--

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard

HEALTH
FLAMMABILITY
PHYSICAL HAZARDS
PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:

A		G	
B		H	
C		I	
D		J	
E		K	
F		X	Consult your supervisor or SOPs for special handling directions.

Safety Glasses	Splash Goggles	Face Shield & Protective Eyewear	Gloves
Boots	Protective Apron	Protective Clothing & Full Suit	Dust Respirator
Full Face Respirator	Dust & Vapor Half-Mask Respirator	Full Face Respirator	Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:	
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer
TREFOIL	Radioactive

TOXICOLOGICAL INFORMATION:

LD₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD₁₀	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD₁₀, LD₁₀, & LD₀₁ or TC, TC₀₁, LC₁₀, & LC₀₁	Lowest dose (or concentration) to cause lethal or toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL_m	Median threshold limit
log K_{ow} or log K_{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

CLP/GHS (1272/2008/EC) PICTOGRAMS:

GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment