

Page 1 of 5 **AB-020** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards SDS Revision Date: 7/18/2024 SDS Revision: 1.0 1. PRODUCT & COMPANY IDENTIFICATION Product Name 11 ACTIVE® APPLIANCE WIPES 1.2 Chemical Name: NΑ 13 Synonyms: NA 1.4 Trade Names: Active® Appliance Wipes 1.5 Product Use: Cleaning Appliances Distributor's Name: 1.6 Active B, LLC Distributor's Address: 3147 California Street, NE, Suite 100-A, Minneapolis, MN 55418 USA 17 1.8 Emergency Phone: INFOTRAC +1 (800) 535-5053 // +1 (352-323-3500) Business Phone / Fax: Tel: +1 (888) 997-2131 1.9 2. HAZARDS IDENTIFICATION Hazard Identification: 2.1 Prepared in accordance with UN Globally Harmonized standards. Intended to comply with OSHA 29 CFR 1910.1200. Canadian WHMIS and Australian Work Health and Safety standards. WARNING! CAUSES SEROUS EYE IRRITATION. Classification: Eye Irrit. 2A Label Elements Hazard Statements (H): H319 - Causes serious eye irritation. Precautionary Statements (P): P264+P265 - Wash thoroughly after handling. Do not touch eyes. P280 – Wear eye/face protection. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P332+P317 -If skin irritation occurs: Get medical help. P337+P317 – IF eye irritation persists: Get medical help. Other Warnings: 2.3 KEEP OUT OF REACH OF CHILDREN. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC **OSHA** ppm ppm ppm FS. FS-FS. STEL STEL OTHER CHEMICAL NAME(S) CAS No. RTECS No. **EINECS No** TWA STEL PEAK PEL IDLH NA NA NA ≥ 90 NA NA NF NF NF NA NA NA PROPRIETARY BLEND 64-17-5 KQ6300000 200-578-6 ≤ 10 1000 3000 1000 1880 NF 1000 3000 3300 **ETHANOL** Flam. Liq. 2; H225 68515-73-1 NA 500-220-1 ≤ 3 NA NA NF NF NF NA NA NA DECYL GLUCOSIDE Eye Dam. 1; H318 122-99-6 KM0350000 204-589-7 ≤ 1 NA NA NF NF NF NA NA NA PHENOXYETHANOL Acute Tox. (oral) 4, Eye Irrit. 2A; H302, H319 NA NA NF NF NF NA NA 8001-54-5 616-786-9 ≤ 1 BENZALKONIUM CHLORIDE Acute Tox. (oral) 4, Acute Tox. (dermal) 4, Skin Corr. 1B, Acute Tox. (inh) 4; H302, H312, H314, H332 4. FIRST AID MEASURES First Aid: DO NOT INDUCE VOMITING. Contact the nearest Poison Control Center or local emergency telephone Ingestion: number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Eyes: If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek medical attention. Skin: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned. Remove victim to fresh air at once. Inhalation: 4.2 Effects of Exposure: Ingestion: If product is swallowed, may cause nausea, intestinal discomfort, vomiting and/or diarrhea. Symptoms of overexposure may include redness, itching, irritation, and watering. Eyes: May be irritating to skin in some sensitive individuals. Skin: Inhalation: None expected. 4.3 Symptoms of Overexposure Symptoms of overexposure may include redness, itching, irritation and watering. In some sensitive individuals, symptoms of skin overexposure may include redness, itching, and irritation of affected areas. 4.4 Acute Health Effects: Moderate irritation to eyes. Irritation to skin near affected areas for some sensitive individuals. Chronic Health Effects: 4.5 No harmful or chronic health effects are expected to occur from a single accidental ingestion. Components of this product

contained in very small, may be mild allergens to some sensitive individuals.



8.3

8.5

8.6

Eye Protection:

Hand Protection:

Body Protection:

absorb and concentrate irritants.

wash stations and deluge showers should be available.

individuals

### SAFETY DATA SHEET

Page 2 of 5 **AB-020** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards SDS Revision Date: 7/18/2024 SDS Revision: 1.0 4. FIRST AID MEASURES - cont'd Target Organs 4.6 Eyes 4.7 Medical Conditions Pre-existing dermatitis, and disorders of the target organs (eyes). **HEALTH** 1 Aggravated by Exposure: 0 **FLAMMABILITY PHYSICAL HAZARDS** 0 PROTECTIVE EQUIPMENT A **EYES** 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: If involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO<sub>2</sub>, 5.1 NO<sub>x</sub>). 52 Extinguishing Methods: Water, Foam, CO2, Dry Chemical Firefighting Procedures: First responders should wear eye protection. Structural fire fighters must wear full protective equipment 5.3 and MSHA/NIOSH-approved self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. If necessary, rinse contaminated equipment with soapy water before returning to service. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment 6.1 Spills For small spills (e.g., < 1 gallon (3.8 L)) or large spills (e.g., ≥ 1 gallon (3.8 L)), wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state, and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: 7.1 Do not eat, drink, or smoke while handling this product. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat and open flames. 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. **EXPOSURE CONTROLS & PERSONAL PROTECTION** Exposure Limits: ACGIH NOHSC **OSHA** OTHER 8.1 ppm (mg/m3) ES ES-STEL ES-TLV STEL PEL STEL IDLH CHEMICAL NAME(S) TWA PEAK **ETHANOL** 1000 3000 1000 1880 NF 1000 3000 3300 Ventilation & Engineering 8.2 When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure Controls that an eyewash station, sink, or washbasin is available in case of exposure to eyes. Respiratory Protection:

No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or

AVOID EYE CONTACT DUE TO IRRITATION POTENTIAL. Wear protective eyewear (e.g., safety glasses with side-shield) always when handling large quantities (e.g., ≥ 1 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may

None required under normal conditions of use. However, may cause skin irritation in some sensitive

No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon), eye









Page 3 of 5 **AB-020** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards SDS Revision: 1.0 SDS Revision Date: 7/18/2024

		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appearance:	Clear liquid absorbed onto white cloth
9.2	Odor:	Alcohol odor
9.3	Odor Threshold:	NA NA
9.4	pH:	NA NA
9.5	Melting Point/Freezing Point:	NA NA
9.6	Initial Boiling Point/Boiling Range:	>212°F (>100°C)
9.7	Flashpoint:	> 60 °C (> 140 °F)
9.8	Upper/Lower Flammability Limits:	NA NA
9.9	Vapor Pressure:	NA NA
9.10	Vapor Density:	NA NA
9.11	Relative Density:	1.0
9.12	Solubility:	Liquid soluble in water
9.13	Partition Coefficient (log Pow):	NA NA
9.14	Autoignition Temperature:	NA NA
9.15	Decomposition Temperature:	NA NA
9.16	Viscosity:	NA NA
9.17	Other Information:	NA NA
		10. STABILITY & REACTIVITY
10.1	Stability:	This product is stable.
10.2	Hazardous Decomposition	·
10.0	Products:	Oxides of carbon (e.g., CO, CO <sub>2</sub> )
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid: Incompatible Substances:	Open flames, sparks, high heat and direct sunlight.  None known or reported.
11.1	Routes of Entry:	11. TOXICOLOGICAL INFORMATION  Inhalation: NO Absorption: YES Ingestion: YES
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is
11.3	Acute Toxicity:	available for some of the components of the product, but are not presented in this document.  See Section 4.4
11.4	Chronic Toxicity:	See Section 4.5
11.5	Suspected Carcinogen:	This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> .
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	See Section 4.2
11.8	Biological Exposure Indices:	NE NE
11.9	Physician Recommendations:	Treat symptomatically.
	<b>,</b>	12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There is no specific data available.
12.2	Effects on Plants & Animals:	There is no specific data available.
12.3	Effects on Aquatic Life:	There is no specific data available.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Waste disposal must be in accordance with appropriate Federal, state, and local regulations.
13.2	Special Considerations:	Collect and reclaim or dispose of sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Do not release to the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.



Page 4 of 5 **AB-020** 

Prepa	Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards SDS Revision: 1.0 SDS Revision Date: 7/18/2024				
14. TRANSPORTATION INFORMATION					
		, proper shipping name, hazard class & division, packing g /ICAO, IMDG and the CTDGR.	roup) is shown for each mode of trans	portation. Additional	descriptive information
14.1	49 CFR (GND):	NOT REGULATED			
14.2	IATA (AIR):	NOT REGULATED			
14.3	IMDG (OCN):	NOT REGULATED			
14.4	TDGR (Canadian GND):	NOT REGULATED			
14.5	ADR/RID (EU):	NOT REGULATED			
14.6	SCT (MEXICO):	NOT REGULATED			
14.7	ADGR (AUS):	NOT REGULATED			
		15. REGULATORY	INFORMATION		
15.1	SARA Reporting Requirements:	This product does not contain any substances su	bject to SARA Title III, section 313	3 reporting requiren	nents.
15.2	SARA TPQ:	There are no specific Threshold Planning Quantit	ties for the components of this pro	duct.	
15.3	TSCA Inventory Status:	The components of this product are listed on the	TSCA Inventory.		
15.4	CERCLA Reportable Quantity:	NA			
15.5	Other Federal Requirements:	This material does not contain any hazardous air			
15.6	Other Canadian Regulations:	pollutants under the CWA. None of the componerable This product has been classified according to the			
		required by the HPR. The components of this produce listed on the Priorities Substances List.			
15.7	State Regulatory Information:	Ethanol is listed on the following state criteria list(	(s): FL, MA, MN, PA, and WA.		
		No other hazardous ingredients in this product, following state criteria lists: California Propositior Substances List (FL), Massachusetts Hazardous Hazardous Substances List (MN), New Jersey Pennsylvania Right-to-Know List (PA), Washingt List (WI). This product does not contain any reproductive harm. For more information go to we	n 65 (CA65), Delaware Air Quality Substances List (MA), Michigan C Right-to-Know List (NJ), New Yo on Permissible Exposures List (W chemicals known to the State o	/ Management List Critical Substances ork Hazardous Sul /A), Wisconsin Haz	(DE), Florida Toxic List (MI), Minnesota ostances List (NY), ardous Substances
15.8	Other Requirements:	NA			
		16. OTHER INFO	ORMATION		
16.1	Other Information:	WARNING! CAUSES SERIOUS EYE IRRITATION Wash thoroughly after handling. Do not touch eye for several minutes. Remove contact lenses, if predical help. KEEP OUT OF REACH OF CHILDREN.	es. Wear eye/face protection. IF		
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.			
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to C government regulations must be reviewed for ap knowledge the information contained herein is recompleteness is not guaranteed and no warrantie contained herein relates only to the specific produproperties must be considered. Data may be chafor any claims, losses, or damages of any third p from reliance on the information in this document	plicability to this product. To the reliable and accurate as of this cas of any type, either expressed or uct(s). If this product(s) is combinanged from time to time. ShipMate party, special, indirect, incidental,	best of ShipMate's date; however, acc implied, are provide ed with other mate e, Inc., and Active E consequential, or e	s & Active B, LLC's uracy, suitability or ed. The information rials, all component B, LLC are not liable
16.4	Prepared for:	Active B, LLC 3147 California Street, NE Suite 100-A Minneapolis, MN 55418 USA Tel: +1 (888) 997-2131 https://useactive.com	ACTIV	R C	
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate ShipMate Dangerous Goods Training & Consulting		



Page 5 of 5 **AB-020** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards SDS Revision: 1.0

SDS Revision Date: 7/18/2024

#### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
IDLH	Immediately Dangerous to Life and Health	
NOHSC	National Occupational Health and Safety Commission (Australia)	
OSHA	U.S. Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
STEL	Short Term Exposure Limit	
TLV	Threshold Limit Value	
TWA	Time Weighted Average	

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.


#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



#### PERSONAL PROTECTION RATINGS:



G				
Н				
ı				
J			<b>1</b>	
K	9		A	<b>(</b>
X	Consult y special h	our supe andling d	rvisor or S irections.	SOPs for



#### OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic	
Irrit	Irritant	
NA	Not Available	
NR	No Results	
ND	Not Determined	
NE	Not Established	
NF	Not Found	
SCBA	Self-Contained Breathing Apparatus	
Sens	Sensitization	
STOT RE	STOT RE   Specific Target Organ Toxicity – Repeat Exposure	
STOT SE	Specific Target Organ Toxicity – Single Exposure	

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:		
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition	
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source	
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source	

#### **HAZARD RATINGS:**

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\ \
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ <b>\ \</b> \ \
₩	Use No Water	HEALTH 🔪
ОХ	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

#### TOXICOLOGICAL INFORMATION:

Lethal Dose (solids & liquids) which kills 50% of the exposed animals
Lethal concentration (gases) which kills 50% of the exposed animal
Concentration expressed in parts of material per million parts
Lowest dose to cause a symptom
Lowest concentration to cause a symptom
Lowest dose (or concentration) to cause lethal or toxic effects
International Agency for Research on Cancer
National Toxicology Program
Registry of Toxic Effects of Chemical Substances
Bioconcentration Factor
Median threshold limit
Coefficient of Oil/Water Distribution

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			<b></b>		<b>(</b>
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment